

VOL. V.

JANUARY, 1907

NO. 73

RECEIVED
JAN 23 1907
SALEM, MASS.

MYCOLOGICAL BULLETIN

W. A. KELLERMAN, Ph. D.

OHIO STATE UNIVERSITY



ENTERED AS SECOND CLASS MATTER MAY 11, 1906. AT THE POSTOFFICE AT
COLUMBUS, OHIO.

Edited and Published by
W. A. KELLERMAN



Press of VANCE-POLAND CO.
Columbus, Ohio

589.22
M99

CARD
CATALOGUED

Supplies for the Botanist



\$.30

Tripod Dissecting Microscope


A convenient and portable instrument for botanists, as it can be used for dissection when mounted, or the lens may be unscrewed and used as a pocket glass. It gives a large, clear image.

Triple Aplanats

This magnifier consists of a crown lens cemented between two flint lenses and is thoroughly achromatic. It gives clear, flat images, free from distortion. The mountings are German silver, nickel plated.



\$3.25



DIAMETER, 3-4 IN. \$1.50

Coddington Magnifier

This magnifier gives clear and perfect definition. The mountings are neatly finished and nickeled.

SEND FOR BOOKLET OF MAGNIFIERS AND READERS

Bausch & Lomb Optical Co.

Rochester, N. Y.

New York - Boston - Washington - Chicago - San Francisco

When answering advertisement mention Mycological Bulletin.

LAMBERT'S PURE CULTURE

Mushroom

Spawn



Produced by the new grafting process from selected and prolific specimens, thoroughly acclimatized, has *never failed to run*.

This spawn is made from cultures taken by the *selective* method, recently discovered, from choice specimens of the best varieties of mushrooms known to be thoroughly acclimatized, and selected with special reference to their size, flavor, vigor and prolificness. The elements of uncertainty surrounding the old *chance* method of producing wild spawn (English and French), is therefore eliminated, and a uniform crop of the best marketable variety is thus assured

to the exclusion of all other and inferior fungi.

The importance of this discovery will be realized from the mere statement that, for the first time in the history of mushroom culture, can spawn be offered of a specific variety of mushrooms.

Of the varieties already developed, we are offering pure culture spawn of the *Agaricus Campestris* (white, cream or brown), *A. Arvensis* (cream), and *A. Villaticus* (cream).

FOR SALE BY ALL LEADING SEEDSMEN.

Practical Instructions on "MUSHROOM CULTURE"
mailed free on application.

American Spawn Company,

ST. PAUL, MINN.

When answering advertisement mention Mycological Bulletin.



This space is owned by
THE TERRY ENGRAVING CO.
COLUMBUS, OHIO



When answering advertisement mention *Mycological Bulletin*.

Mycological Bulletin

(Nos. 73 to 84)



Volume V.
1907



W. A. Kellerman, Ph. D.
Ohio State University



COLUMBUS, OHIO
PRESS OF VANCE-POLAND CO.

1907



J. N. Sabouraud

AN EMINENT FRENCH MYCOLOGIST

Mycological Bulletin

No. 73

W. A. Kellerman, Ph. D., Ohio State University

Columbus, January, 1907.

FOR THE NEW YEAR.

We give first place to an enthusiast who is not unknown to the readers of the Bulletin. Superintendent Hard not only furnishes the text, but also the illustrations which were made under his supervision. It is a brief treatment of the large and interesting genus *Tricholoma*, but more space at present could not be placed at the disposal of the author. Half-tones of some of the other species will be given later.

It is hoped too that another characteristic photograph may be furnished during the year of *Volvaria bombycina*. An illustration is needed of the too perishable plant when it reaches the climax of its glory.

The Frontispiece.—There are many eminent French mycologists—in fact, I doubt whether any other country than France can furnish so long and honorable list of scientific men who have paid attention to Mushrooms. The first representative which we select is M. le Professeur Dr. N. Patouillard.

THE GENUS TRICHOLOMA AND SOME OF THE OHIO SPECIES.

Supt. M. E. Hard.

The generic name *TRICHOLOMA*, comes from two Greek words meaning *hair* and *fringe*.

In this genus the veil is absent or, if present, it is floccose and adheres to the margin of the pileus. The volva and ring are both wanting. The pileus is generally symmetrical and is never umbilicate and rarely umbonate. The gills are attached to the stem and are more or less strongly notched or sinuate at the stem. The stem is fleshy-fibrous, rather short and stout, without a bark-like skin as in the *Collybia*. It is homogeneous and confluent with the cap. The gills are white or dingy and frequently spotted. The caps may be smooth, scaly, dry, moist or water soaked.

The distinguishing feature of the *Tricholoma* is the *sinuate gills*. There are a number of species of the *Tricholomas*. I have found thirty-one species about Chillicothe. Of these but one, according to my experience, is not edible, *Tricholoma sulphureum*. The plants occur from May to freezing weather. A few of the species are here described and illustrated.




Fig. 221. *Tri-cho-lo'-ma se-junc'tum*. See text for explanation.

TRICHOLOMA SEJUNCTUM Sow.

This is called *sejunctum* because the gills easily separate from the stem. It is a beautiful plant growing in beech woods among the leaves.

The caps two to three inches broad, convex, then expanded, broadly umbonate, viscid when moist, light yellow in color, streaked with black lines, margin of the cap thin, odor frequently strong, taste mild.

The gills are notched at the stem, broad, rather distant, white, easily separating from the stem.

The stem is solid, smooth, stout, often swollen in the middle. Spores



Fig. 222. *Tricholoma resplendens*. See text for explanation.

are nearly spherical, 6μ . Its peculiar yellow color will distinguish the species. The taste of our plants is mild when raw and the flavor is excellent when cooked.

TRICHOLOMA RESPLENDENS FR.

The significance of *resplendens* is *shining brightly*, and this species is called the *Shining Tricholoma*. It is edible and a very good flavored plant.

The caps are convex, then expanded until quite plane, viscid, shining

when dry, sometimes a shade of yellow on the disk. The flesh is white, taste mild, mushroom odor, entire plant white.

The gills are notched at the stem, rather crowded, unspotted, white.

The stem is rather long, solid, stout, smooth, sometimes flocculose at the apex, frequently slightly bulbous, even, white.

This is a beautiful plant found growing in mixed woods on a northern hillside among leaves. In Figure 222 is given a sample set of the species.

TRICHOLOMA FUNESCENS PK.

The word *funescens* means *growing smoky*. The entire plant is of a dingy white. The gills are a cream white, soon changing to a smoky color with a blue or blackish color where bruised.

The caps are two to three inches broad, at first convex, then expanded and frequently wavy as will be seen in a Figure to be given later, dry, dingy white, with a fine tomentum.

The gills are narrow, notched at the stem, cream color, changing to a smoky blue or blackish where bruised, crowded.

The stem is short, round, sometimes slightly tapering downward, whitish. The spores are oblong-elliptical, $5-6.5\ \mu$.

This species will be readily identified by the fine crowded gills and the smoky blue or blackish hue they assume when bruised or in age.

They are found in mixed woods on the ground among leaves. I find them on the north hillsides about Chillicothe, during September and November.

TRICHOLOMA SQUARRULOSUM BRES.

The specific name, *squarrulosum*, means *full of scales*; the caps, as shown in a Figure to be given later, are very scaly.

The caps are two to three inches broad, convex at first, then expanded, slightly wavy at times, margin somewhat involute at first, dry brownish tinge, then a lurid tan, darker in the center of disk, broadly umbonate, margin exceeding gills.

The gills are rather broad, crowded, whitish gray, changing to a redish color when bruised, slightly notched at the stem.

The stem is somewhat paler than the pileus, two to three inches long, more or less scaly. The spores are elliptical, $7-9 \times 4-5\ \mu$.

This is an attractive plant growing in mixed woods among leaves. The caps are covered with black or reddish black squamules, which give rise to the name of the species. I have only succeeded in finding the plant in October. The specimens which will be shown in a later Number were found in Poke Hollow near Chillicothe, Ohio. They are edible and of good flavor.

TRICHOLOMA TERREUM SCHAEFF.

The word *terreum* is from Latin *terra*, the *earth*; so-called because of its color. It is known as the *Gray Tricholoma*; however, it is quite variable both in size and color, as well as in the manner of growth.

The pileus is usually dry, fleshy, two to three inches broad, often umbonate, grayish-brown or mouse-color.

The gills are adnexed, not close, white, becoming grayish.

The stem is one to three inches high, whitish, fibrillose, paler than the cap.

I find this plant on the north hillsides in beech woods. It is not plentiful about Chillicothe. There are several varieties of this species. It is edible and the time for its appearance is September to November.



Fig. 223. *Tri-cho-lo'-ma ter'-re-um*. See text, opposite page.

VOLVARIA BOMBYCINA.

M. E. Hard.

This is one of our most interesting plants. Its manner of growth will interest any one. The cut represents the plant when in the egg state. The volva or wrapper, mottled brown color, quite viscid. It soon breaks open at the top as will be seen in the cut. The volva has a silky appearance, but the cap or pileus is at first a purc silky white as will be seen in the figure where the volva has begun to fracture.

The plant grows quite large about Chillicothe. I frequently find it ten inches broad. It is entirely white, fleshy, at first round or oblong, then bell-shaped, then convex, everywhere silky but when old it is apt to be hairy scaled. The flesh is rather thin and white.

The gills are not attached to the stem and very close together, broader in the center, flesh color as soon as the spores begin to drop.

The stem three to six inches long, solid, smooth, white, tapering from the base to apex.

The volva is soon split at the apex, membranaceous, viscid and persistent. The spores are elliptical.

It is usually found solitary, but sometimes a number will be found growing from the same log. I have frequently seen a dozen growing from a hollow beech log where the plants in Figure 224 were found. It is found growing in hollow trees, on decayed shade trees, or on decayed branches in the woods. I have never eaten it but Dr. Curtis gives it as edible in his list of edible mushrooms. It is found from July to October. I found a specimen that measured eight inches across the cap Saturday, September 29, 1906.



Fig. 224. *Volva-ri-a bom-by-ci-na*. The egg-state of the plant when in the act of emerging from the *volva*. The pileus and flesh-colored gills are not yet visible. The photo represents two fine plants close together, found growing from a hollow beech log, near Chillicothe, Ohio. See text on previous page.

The Mycological Bulletin is issued Monthly, Price 25c. Copies of Vol. II (1904), Vol. III, (1905) and Vol. IV (1906) may be had for 50 cents each, or cloth bound copies for 75 cents. No copies remain of Vol. I (1902). Address W. A. Kellerman, Columbus, Ohio

FOR SALE

Half-tone Portraits of the following eminent Mycologists:

Peck, Ellis, Arthur, Burrill, Farlow, Tracy, Earle, Atkinson, Holway, Thaxter, Clinton, Magnus, Oudemans, Patouillard, Hennings, Rehm, Cooke, Saccardo, Dietel, Sydow, P., Sydow, H., Hollis, Bresadola, Massee, Bubak, Salmon, each 10 cts.

Mycological Bulletin, Vol. I, 1903..... 50 cts.

“ “ “ II, 1904..... 50 cts.

“ “ “ III, 1905..... 50 cts.

“ “ “ IV, 1906..... 50 cts

“ “ Current volume..... 25 cts.

Mycological Glossary 25 cts

North American Species of Marasmius
(a Monograph by Morgan)..... 30 cts.

North American Species of Lepiota
(a Monograph by Morgan)..... 50cts

Journal of Mycology, Vol 8—1902..... \$2 00

“ “ “ 9—1903..... 2 00

“ “ “ 10—1904..... 2 00

“ “ “ 11—1905..... 2 00

“ “ “ 12—1906..... 2 00

“ “ “ Current Vol..... 2 00

W. A. Kellerman, Columbus, Ohio

The American Botanist

and

The Fern Bulletin

Have removed to JOLIET, ILL.

No changes except the address !

THE FERN BULLETIN is the only publication in the world devoted to Ferns.


THE AMERICAN BOTANIST is the only American Magazine devoted to Ecological Botany.

YOU NEED THEM BOTH—SAMPLES FREE.

When answering advertisement mention Mycological Bulletin.

NEW SPENCER MICROSCOPE

No. 404




No. 40 Stand
Abbe Condenser
Two Iris Diaphragms
Triple Nosepiece
16 mm. (1-3 ") Objective
4 mm. (1-6 ") Objective
2 mm. (1-12 ") Oil Im-
mersion Objective
Two Eyepieces
Mahogany Cabinet

THE BEST
MICROSCOPE EVER OFFERED FOR
\$75.00 BECAUSE:

- The lenses are unsurpassed
- The Stand is the product of the best of material and workmanship
- The coarse and fine adjustments are the best made
- The fine adjustment is protected by a neat handle provided for carrying the instrument
- The stage is large—67 mm. free distance from the optical axis to the base of the arm is the greatest yet produced
- The stage is completely covered with vulcanite from top to bottom

SPENCER LENS COMPANY
BUFFALO, N. Y.

When answering advertisement mention Mycological Bulletin.



Nine Mushrooms. Weight four pounds.
Grown from Pure Culture Spawn.

Mushrooms.

"Wait till you see it is a good thing, but don't wait till everyone sees it. You will then be too late."

Did you ever think just what is expressed in those words?

Did you ever think of them in connection with mushrooms?

Think of MUSHROOM GROWING—a coming industry in America.

We tell you more about it in our booklet. We also give you some interesting facts about PURE CULTURE SPAWN. They're yours on request.

PURE CULTURE SPAWN CO.

609 W. Fourth St.,

Factory: Pacific, Mo.

CINCINNATI, OHIO

When answering advertisement mention Mycological Bulletin.

You Can Use Engravings

in *your* business, just the same as other men use them. Time was when engravings were really too expensive for common use, but they are cheap now—o

BUCHER ENGRAVING COMPANY

COLUMBUS,
OHIO

Portraits, Buildings
Machinery, Live Stock
Advertising Cuts
Stationery Headings
Cover Pages, t c.

We have a beautiful specimen book which shows the quality of our work, and we send it free on request

WRITE US ABOUT ANY KIND OF ENGRAVED DESIGN FOR ANY PURPOSE

We make the engravings for this Publication

Standard Botanical Text Books

ANDREWS'S (E. F.) Botany All the Year Round.....	\$1 00
The same. With Brief Flora of the Eastern United States.....	1 50
APGAR'S (A. C.) Trees of the Northern United States.....	1 00
APGAR'S (E. A. & A. C.) New Plant Analysis.....	55
CHAPMAN'S Flora of the Southern United States Third Edition....	4 00
COULTER'S Manual of the Botany of the Rocky Mountains.....	1 62
GRAY'S Lessons in Botany	94
Outlines of Botany (Leavitt)	1 00
The same. With Field, Forest and Garden Flora.....	1 80
The same. With Manual of Botany.....	2 25
Field, Forest and Garden Botany, Flora only	1 44
School and Field Book of Botany. Lessons and Flora	1 80
Manual of Botany. Flora only.....	1 62
The same. Tourist's Edition.....	2 00
Lessons and Manual. One volume.....	2 16
GRAY'S New Botanical Text-Book:	
Vol. I., Structural Botany (Gray).....	2 00
Vol. II., Physiological Botany (Goodale).....	2 00
GRAY & COULTER'S Text-Book of Western Botany.....	2 16
LEAVITT'S Outlines of Botany	1 00
The same. With Gray's Field, Forest and Garden Flora	1 80
The same. With Gray's Manual of Botany.....	2 25
WOOD'S (Alphonso) Object Lessons in Botany.....	1 00
Lessons in Botany	90
New American Botanist and Florist—Lessons and Flora (Willis)...	1 75

AMERICAN BOOK COMPANY, Cincinnati

When answering advertisement mention *Mycological Bulletin*.